

Statistical bulletin

Deaths registered weekly in England and Wales, provisional: week ending 2 October 2020

Provisional counts of the number of deaths registered in England and Wales, including deaths involving coronavirus (COVID-19), by age, sex and region, in the latest weeks for which data are available.



Contact:
Sarah Caul
health.data@ons.gov.uk
+44 (0)1633 456490

Release date:
13 October 2020

Next release:
20 October 2020

Table of contents

1. [Main points](#)
2. [Deaths registered by week](#)
3. [Covid-19 data and analysis](#)
4. [Deaths registered by age group](#)
5. [Deaths by region in England and Wales](#)
6. [Deaths registered by place of occurrence](#)
7. [Deaths registered in the UK](#)
8. [Comparison of weekly death occurrences in England and Wales](#)
9. [Deaths data](#)
10. [Glossary](#)
11. [Measuring the data](#)
12. [Strengths and limitations](#)
13. [Related links](#)

1 . Main points

- The number of deaths registered in England and Wales in the week ending 2 October 2020 (Week 40) was 9,945; this was 311 more deaths than in Week 39.
- In Week 40, the number of deaths registered was 4.1% above the five-year average (390 deaths higher).
- Of the deaths registered in Week 40, 321 mentioned “novel coronavirus (COVID-19)”, accounting for 3.2% of all deaths in England and Wales; this is an increase compared with Week 39 (when there were 215 deaths involving COVID-19, accounting for 2.2% of all deaths).
- The numbers of deaths in hospitals and care homes remained below the five-year average in Week 40 (233 and 81 fewer deaths respectively), while the number of deaths in private homes remained above the five-year average (725 more deaths).
- The number of deaths involving COVID-19 increased in seven of the nine English regions; the South West was the only English region to have lower overall deaths than the five-year average.
- In Wales, the number of deaths involving COVID-19 increased from 12 deaths (Week 39) to 25 deaths (Week 40), while the total number of deaths in Week 40 was 84 deaths higher than the five-year average.
- The number of deaths registered in the UK in the week ending 2 October 2020 (Week 40) was 11,444, which was 591 deaths higher than the five-year average and 583 deaths higher than Week 39; of the deaths registered in the UK in Week 40, 343 deaths involved COVID-19, 109 deaths higher than Week 39.

2 . Deaths registered by week

Figure 1: Deaths in England and Wales involving COVID-19 increased for the fourth consecutive week

Number of deaths registered by week, England and Wales, 28 December 2019 to 2 October 2020

The provisional number of deaths registered in England and Wales increased from 9,634 in Week 39 (week ending 25 September 2020) to 9,945 in Week 40 (week ending 2 October 2020) (Figure 1). The number of deaths was 4.1% above the five-year average (390 deaths higher).

The number of death registrations in England and Wales involving the coronavirus (COVID-19) increased from 215 in Week 39 to 321 in Week 40 (a 49.3% increase). Of all deaths registered in Week 40, 3.2% mentioned COVID-19 (compared with 2.2% in Week 39).

In England, the number of deaths increased from 9,005 in Week 39 to 9,257 in Week 40, which was 315 deaths above the Week 40 five-year average. Of the Week 40 deaths, 3.2% (296 deaths) involved COVID-19 in England.

In Wales, the number of deaths increased from 617 in Week 39 to 671 in Week 40, which was 84 deaths higher than the five-year average. Of these, 3.7% (25 deaths) involved COVID-19.

In Week 40, in England and Wales, 14.8% of all deaths mentioned “Influenza and Pneumonia”, COVID-19 or both, compared with 14.4% in Week 39. “Influenza and Pneumonia” has been included for comparison, as a well-understood cause of death involving respiratory infection that is likely to have somewhat similar risk factors to COVID-19. More detailed analysis is available in our [deaths due to the coronavirus \(COVID-19\) compared with deaths from influenza and pneumonia](#) release.

Figure 2: Deaths not involving COVID-19 remained above the five-year average

Number of deaths registered by week, England and Wales, 28 December 2019 to 2 October 2020

Between Weeks 1 and 12, 138,916 deaths were registered, which was 4,822 fewer than the five-year average for these weeks. However, between Weeks 13 and 40, 324,832 deaths were registered, which was 59,132 more than the five-year average.

Looking at the year-to-date (using the most up-to-date data we have available), the number of deaths up to 2 October 2020 was 463,720, which is 54,282 more than the five-year average. Of the deaths registered by 2 October, 53,187 mentioned COVID-19 on the death certificate, 11.5% of all deaths in England and Wales.

Looking at the year-to-date for England and Wales separately, the number of deaths for England was 435,257, which is 52,665 (13.8%) more than the five-year average. Of these, 50,501 (11.6%) mentioned COVID-19. In Wales, the number of deaths up to 2 October 2020 was 27,785, which is 2,133 (8.3%) more than the five-year average; of these, 2,612 deaths (9.4%) mentioned COVID-19.

3 . Covid-19 data and analysis

4 . Deaths registered by age group


In Week 40, the number of deaths involving the coronavirus (COVID-19) in England and Wales stayed the same or increased across all age groups compared with Week 39 (except in ages 50 to 54 years, which decreased by five deaths). The biggest increase was seen in those 80 to 84 years (22 more deaths). The number of deaths involving COVID-19 remained higher in the older age groups, with those aged 80 years and over accounting for the highest number of deaths involving COVID-19 (56.7%).

Figure 3: The number of deaths involving COVID-19 was highest in males across the majority of age groups

Number of deaths involving COVID-19 by sex and age group, England and Wales, registered between 28 December 2019 and 2 October 2020

Figure 3: The number of deaths involving COVID-19 was highest in males across the majority of age groups

Number of deaths involving COVID-19 by sex and age group, England and Wales, registered between 28 December 2019 and 2 October 2020



Source: Office for National Statistics – Deaths registered weekly in England and Wales

Notes:

1. Figures include deaths of non-residents.
2. Based on date a death was registered rather than occurred.
3. All figures for 2020 are provisional.
4. The International Classification of Diseases, tenth edition (ICD-10) definitions are as follows: coronavirus (COVID-19) (U07.1 and U07.2).
5. Individual weeks may not sum to the year-to-date analysis as previous weeks have been recalculated to have the most up-to-date figures.
6. Does not include deaths where age is either missing or not yet fully coded. For this reason, counts of "Males" and "Females" may not sum to "Total Deaths, all ages".

Looking at the year-to-date, for most age groups there have been more deaths involving COVID-19 in males than in females (Figure 3). Across Weeks 1 to 40 of 2020, 55.1% of all deaths involving COVID-19 were in males. However, there were more deaths in females aged 85 years and over (12,120) than males aged 85 years and over (10,304). This could be because [the over-85-years female population \(939,000\) is larger than the over-85-years male population \(564,000\)](#) in England and Wales.

5 . Deaths by region in England and Wales

Figure 4: The number of deaths in Week 40 increased in Wales and most of the English regions

Number of deaths in Wales and regions in England, registered between 28 December 2019 and 2 October 2020

In Week 40 (week ending 2 October 2020), there were 25 deaths involving the coronavirus (COVID-19) registered in Wales (compared with 12 deaths in Week 39). Out of the English regions, the North West had the largest number of deaths involving COVID-19 (106 deaths) and the highest proportion of deaths involving COVID-19 (8.1%). Deaths involving COVID-19 increased in Week 40 (compared with Week 39) across seven of the nine English regions, with the largest increase seen in the North West (46 more deaths). The West Midlands and the South West were the only regions to have fewer deaths involving COVID-19 in Week 40 than in Week 39 (two and five deaths fewer, respectively). More detailed geographic analysis between 1 March and 31 July 2020 can be found in our [Deaths involving COVID-19 by local area and socioeconomic deprivation release](#).

Table 1: The number of deaths registered was above the five-year average in the majority of the English regions and Wales

Number of deaths in Wales and the regions in England, registered week ending 2 October 2020

Region name	Number of deaths	Five-year average	Difference	Percentage above average
Wales	671	587	84	14.3
North East	558	493	65	13.2
South East	1,577	1,471	106	7.2
West Midlands	1,045	985	60	6.1
Yorkshire and the Humber	978	931	47	5.0
East	1,054	1,007	47	4.7
East Midlands	842	813	29	3.6
London	899	890	9	1.0
North West	1,301	1,301	0	0.0
South West	1,003	1,050	-47	-4.5

Source: Office for National Statistics - Deaths registered weekly in England and Wales

Notes

1. Based on area of usual residence. Geographic boundaries are based on the most up-to-date information available at the time of publication.
2. Figures exclude deaths of non-residents.
3. Based on date a death was registered rather than occurred.
4. All figures for 2020 are provisional.
5. The averages are based on the number of death registrations in each region, recorded for each corresponding week over the previous five years. Moveable public holidays, when register offices are closed, affect the number of registrations made in the published weeks and in the corresponding weeks in previous years.

The number of deaths registered in Week 40 was higher than the five-year average in all English regions except for the South West, which was below the five-year average (4.5% lower), and the North West, which was the same as the five-year average. In Wales, the number of deaths registered in Week 40 was 14.3% (84 deaths) above the five-year average (Table 1).

6 . Deaths registered by place of occurrence

The year-to-date analysis shows that, of deaths involving the coronavirus (COVID-19) up to Week 40 (week ending 2 October 2020), 63.5% (33,819 deaths) occurred in hospital, with the remainder occurring in care homes (15,646 deaths), private homes (2,533 deaths), hospices (758 deaths), other communal establishments (228 deaths) and elsewhere (203 deaths).

Between Weeks 39 and 40, the number of deaths involving COVID-19 increased in hospitals (90 deaths higher), care homes (8 deaths higher), private homes (9 deaths higher) and other communal establishments (1 death higher), while deaths in hospices decreased (2 fewer deaths). Deaths involving COVID-19 in hospitals as a proportion of all deaths in hospitals increased from 4.1% in Week 39 to 6.1% in Week 40. Deaths involving COVID-19 in care homes as a proportion of all deaths in care homes increased from 2.0% in Week 39 to 2.3% in Week 40. Detailed analysis on deaths of care home residents is available in [Deaths involving COVID-19 in the care sector, England and Wales: deaths occurring up to 12 June 2020 and registered up to 20 June 2020](#).

As well as Office for National Statistics (ONS) data, the Care Quality Commission (CQC) provides numbers of deaths involving COVID-19 in care homes in England that are based on the date the death was notified to the CQC. From 10 April (the first day when data were collected using the CQC's new method of identifying deaths involving COVID-19) to 2 October 2020, there were 14,355 deaths of residents in care homes involving COVID-19. Of these deaths, 61 were notified in the week up to 2 October. More information on the data provided by the CQC can be found in our [joint transparency statement](#).

In Wales, the [Welsh Government](#) publishes the number of deaths of care home residents involving COVID-19 notified to the Care Inspectorate Wales (CIW). Between 1 March and 25 September 2020, there were 745 deaths of residents in care homes involving COVID-19.

More information on how these numbers have compared throughout the pandemic can be found in our previous [Comparison of weekly death occurrences in England and Wales release](#).

Figure 5: Deaths in private homes remained above the five-year average in Week 40

Number of excess deaths by place of occurrence, England and Wales, registered between 7 March and 2 October 2020

In Week 40, deaths in hospitals, care home and other locations were below the five-year average (233, 81 and 22 fewer deaths respectively), while the number of deaths in private homes was 725 deaths above the five-year average (Figure 5).


Looking in more detail at deaths in private homes in Week 40, males and females accounted for similar numbers of excess deaths (367 and 357 deaths respectively). Overall, 80.2% of the excess deaths in private homes were those aged 70 years and over (581 excess deaths). More [detailed analysis of excess deaths in England](#) is produced by Public Health England (PHE) on a weekly basis.

Figure 6: More than 80% of deaths involving COVID-19 that occurred in Week 40 were in hospital

Number of deaths involving COVID-19 by place of occurrence, England and Wales, occurring up to 2 October 2020 and registered up to 10 October 2020

Figure 6: More than 80% of deaths involving COVID-19 that occurred in Week 40 were in hospital

Number of deaths involving COVID-19 by place of occurrence, England and Wales, occurring up to 2 October 2020 and registered up to 10 October 2020



Source: Office for National Statistics – Deaths registered weekly in England and Wales

Notes:

1. Figures include deaths of non-residents.
2. Based on date of death, registered up to 10 October 2020.
3. All figures for 2020 are provisional.
4. The International Classification of Diseases, tenth edition (ICD-10) definitions are as follows: coronavirus (COVID-19) (U07.1 and U07.2).
5. This chart includes deaths from week ending 6 March 2020 onwards. Two deaths involving COVID-19 occurred prior to this (in the week ending 31 January (Week 5) and the week ending 7 February (Week 6) and are not included in the chart.

Figure 6 is based on date of death for deaths registered up to 10 October 2020, rather than date of registration. This means as more deaths are registered, deaths per day are likely to increase, especially for later dates. Looking at the number of deaths involving COVID-19 that occurred in Week 40, 82.0% of deaths occurred in hospitals, and care homes accounted for 12.9% of all deaths involving COVID-19; this may change as more deaths are registered.

A death of a man aged 80 to 84 years was registered in the week ending 4 September 2020 (Week 36) that occurred in the week ending 31 January 2020 (Week 5). This is the earliest known death involving COVID-19 in the UK. There was also a death of a man aged 55 to 59 years registered in the week ending 21 August 2020 (Week 34) that occurred in the week ending 7 February (Week 6).


7 . Deaths registered in the UK

Figure 7: Deaths in the UK involving COVID-19 increased in Week 40 for the fourth consecutive week

Number of deaths registered by week, UK, week ending 13 March 2020 to week ending 2 October 2020

Figure 7: Deaths in the UK involving COVID-19 increased in Week 40 for the fourth consecutive week

Number of deaths registered by week, UK, week ending 13 March 2020 to week ending 2 October 2020



Source: Office for National Statistics, National Records of Scotland, and Northern Ireland Statistics and Research Agency

Notes:

1. Figures exclude deaths of non-residents.
2. Based on date a death was registered rather than occurred.
3. All figures for 2020 are provisional.
4. The International Classification of Diseases, tenth edition (ICD-10) definitions are as follows: coronavirus (COVID-19) (U07.1 and U07.2).
5. National Records of Scotland produce figures for [Scotland](#).
6. Northern Ireland Statistics and Research Agency produce figures for [Northern Ireland](#).

Across the UK, there were 11,444 deaths (all causes) registered in Week 40 (week ending 2 October 2020), which was 591 deaths higher than the UK five-year average and 583 deaths higher than Week 39. Of these deaths, 343 involved the coronavirus (COVID-19), 109 deaths higher than in Week 39 (a 46.6% increase).

In Week 40, England had the highest number of deaths involving COVID-19 with 296 deaths, followed by Wales with 25 deaths, Scotland with 20 deaths and Northern Ireland with 2 deaths.

8 . Comparison of weekly death occurrences in England and Wales

We previously published this section as a [separate article](#) on the Office for National Statistics (ONS) website, which provided a more thorough description of the differences between different data sources. This section will look at the number of deaths by date of death produced by the ONS compared with death notifications reported by the Department of Health and Social Care (DHSC). For Wales, we can also compare the reconciled DHSC data by date of death released by Public Health Wales (PHW).

On 12 August 2020, Public Health England (PHE) revised their data series to include two measures: deaths of positively tested individuals where the death occurred within 28 days and deaths within 60 days of a positive test. More information on these changes can be found in their [technical summary](#).

In England, including deaths that occurred up to 2 October 2020 but were registered up to 10 October 2020, of those we have processed so far, the number involving the coronavirus (COVID-19) was 50,642. The [comparative number of death notifications](#) reported by the DHSC on GOV.UK where the deaths occurred within 28 days of testing was 37,574 and the number of deaths by date of death showed 37,652; the comparative number of death notifications where the deaths occurred within 60 days of testing was 41,650 and the number of deaths by date of death showed 41,732.

In Wales, including deaths that occurred up to 2 October 2020 but were registered up to 10 October 2020, of those we have processed so far, the number involving COVID-19 was 2,619; the comparative number of death notifications reported by the DHSC on GOV.UK where the death occurred within 28 days of testing was 1,630 and [PHW numbers](#), which come from the same source as the DHSC figures but are continuously updated, showed 1,634 deaths.

9 . Deaths data

[Deaths registered weekly in England and Wales. provisional](#)

Dataset | Released 13 September 2020

Provisional counts of the number of deaths registered in England and Wales, by age, sex and region, in the latest weeks for which data are available. Includes data on the coronavirus (COVID-19) deaths.

[Death registrations and occurrences by local authority and health board](#)

Dataset | Released 13 September 2020

Provisional counts of the number of deaths registered in England and Wales, including deaths involving COVID-19, by local authority, health board and place of death in the latest weeks for which data are available.

[Number of deaths in care homes notified to the Care Quality Commission. England](#)

Dataset | Released 13 September 2020

Provisional counts of deaths in care homes caused by COVID-19 by local authority. Published by the Office for National Statistics (ONS) and Care Quality Commission (CQC).

Filter these data

Try the new way to filter and download these data:

- [Deaths registered weekly in England and Wales by age and sex: COVID-19](#)
- [Deaths registered weekly in England and Wales by region: COVID-19](#)
- [Death registrations and occurrences by local authority and place of death](#)
- [Death registrations and occurrences by health board and place of death](#)

10 . Glossary

Coronavirus (COVID-19) deaths

Coronavirus (COVID-19) deaths are those deaths registered in England and Wales in the stated week where COVID-19 was mentioned on the death certificate. A doctor can certify the involvement of COVID-19 based on symptoms and clinical findings – a positive test result is not required. Definitions of COVID-19 for deaths in Scotland and Northern Ireland are similar to England and Wales.

11 . Measuring the data

More quality and methodology information on strengths, limitations, appropriate uses, and how the data were created is available in the [Mortality statistics in England and Wales QMI](#).

To meet user needs, we publish very timely but provisional counts of death registrations in England and Wales in our [Deaths registered weekly in England and Wales, provisional](#) dataset. These are presented by sex, age group and regions (within England) as well as for Wales as a whole. To allow time for registration and processing, these figures are published 11 days after the week ends. Because of the rapidly changing situation, in this bulletin we have also given provisional updated totals based on the latest available death registrations, up to 10 October 2020.

Because of the coronavirus (COVID-19) pandemic, our regular weekly deaths release now provides a separate breakdown of the number of deaths involving COVID-19: that is, where COVID-19 or suspected COVID-19 was mentioned anywhere on the death certificate, including in combination with other health conditions. If a death certificate mentions COVID-19, it will not always be the main cause of death but may be a contributory factor. This bulletin summarises the latest weekly information and will be updated each week during the pandemic.

These figures are different from the [daily surveillance figures on COVID-19 deaths](#) published by the Department of Health and Social Care (DHSC) on the GOV.UK website, for the UK as a whole and its constituent countries. Figures in this report are derived from the formal process of death registration and may include cases where the doctor completing the death certificate diagnosed possible cases of COVID-19, for example, where this was based on relevant symptoms but no test for the virus was conducted.

From 29 April 2020, the DHSC started to publish as their [daily announced figures on deaths from COVID-19](#) for the UK a new series that uses improved data for England produced by Public Health England (PHE). These figures provide a count of all deaths where a positive test for COVID-19 has been confirmed, wherever that death has taken place, a change from previously reporting only confirmed COVID-19 deaths in hospitals. Figures for Scotland, Wales and Northern Ireland had already begun to include deaths outside hospitals, so this change ensured that the UK-wide series had a shared and common definitional coverage. A [statement](#) was published by the Office for National Statistics (ONS), which provides more detail of the changes.

On 12 August 2020, the PHE data series was revised to include two measures: deaths of positively tested individuals where the death occurred within 28 days and deaths within 60 days of a positive test. More information on these changes can be found in their [technical summary \(PDF, 854KB\)](#).

In contrast to the GOV.UK figures, we include only deaths registered in England and Wales, which is the legal remit of the ONS. Tables 2 and 3 provide an overview of the differences in definitions between sources.

Table 2: Definitions of COVID-19 deaths between different sources

	DHSC COVID-19 (as published on GOV.UK) before 29 April	DHSC COVID-19 (as published on GOV.UK) between 29 April and 12 August	DHSC COVID-19 (as published on GOV.UK) from 12 August	ONS COVID-19 deaths registered	ONS COVID-19 death occurrence (actual date of death)
Coverage	UK (however we only include England and Wales breakdowns for comparable coverage with ONS data)	UK (however we only include England and Wales breakdowns for comparable coverage with ONS data)	UK (however we only include England and Wales breakdowns for comparable coverage with ONS data)	Registrations in England and Wales	Registrations in England and Wales
				Selected UK figures are included in the weekly release	In discussions with devolved nations to create UK estimates in the near future
Inclusion	Deaths in hospitals	Includes any place of death, including care homes and community	Includes any place of death, including care homes and community	Any place of death, including care homes and community	Any place of death, including care homes and community
	Deaths where the patient has tested positive for COVID-19	Deaths where the patient has tested positive for COVID-19	Deaths where the patient has tested positive for COVID-19 within 28 and 60 days of testing	Deaths where COVID-19 has been mentioned on the death certificate	Deaths where COVID-19 has been mentioned on the death certificate
Timeliness	Provided daily but not officially registered	Provided daily but not officially registered	Provided daily but not officially registered	Weekly registrations are 11 days behind because of the time taken to register, process and publish	Weekly registrations are 11 days behind because of the time taken to register, process and publish
				Registered in the week ending 2 October (week 40)	Deaths which occurred in week 40 but were registered up to 10 October

Source: Office for National Statistics - Deaths registered weekly in England and Wales

Table 3: Definitions of COVID-19 deaths in care homes between different sources

	ONS COVID-19 deaths registered	ONS COVID-19 death occurrence (actual date of death)	Care Quality Commission deaths in care homes (date of notification received)	Care Inspectorate Wales deaths in care homes (date of notification received)
	Registrations in England and Wales	Registrations in England and Wales	Death notifications sent by registered care home operators in England to CQC	Death notifications sent by registered care home operators in Wales to CIW
Coverage	Selected UK figures are included in the weekly release	In discussions with devolved nations to create UK estimates in the near future		
	Any place of death, including care homes	Any place of death, including care homes	Deaths in care homes – deaths of care home residents that occurred elsewhere are also collected	Deaths in care homes – deaths of care home residents that occurred elsewhere are also collected
Inclusion	Deaths where COVID-19 has been mentioned on the death certificate	Deaths where COVID-19 has been mentioned on the death certificate	Deaths where the care home provider has stated COVID-19 as a suspected or confirmed cause of death on the death notification	Deaths where the care home provider has stated COVID-19 as a suspected or confirmed cause of death on the death notification
	Weekly registrations are 11 days behind because of the time taken to register, process and publish	Weekly registrations are 11 days behind because of the time taken to register, process and publish	Daily deaths notifications by date of notification - these take on average 4 days to receive and process	Daily deaths notifications by date of notification
Timeliness			Data are published weekly by ONS	Data are published weekly by Welsh Government
			Deaths which were notified to CQC from 10 April 2020	

Source: Office for National Statistics - Deaths registered weekly in England and Wales

We will publish accompanying articles periodically, giving enhanced information such as age-standardised and age-specific mortality rates for recent time periods and breakdowns of deaths involving COVID-19 by associated pre-existing health conditions.

There is usually a delay of at least five days between occurrence and registration. More information on this issue can be found in our [impact of registration delays release](#).

Our [User guide to mortality statistics](#) provides further information on data quality, legislation and procedures relating to mortality and includes a [glossary of terms](#).

12 . Strengths and limitations

Figures are based on the date the death was registered, not when it occurred. There is usually a delay of at least five days between occurrence and registration. More information on this issue can be found in our [impact of registration delays release](#).

13 . Related links

[Deaths registered in England and Wales: 2019](#)

Bulletin | Released 1 July 2020

Registered deaths by age, sex, selected underlying causes of death and the leading causes of death. Contains death rates and death registrations by area of residence and single year of age.

[Coronavirus \(COVID-19\) latest data and analysis](#)

Web page | Updated as and when new data become available

Brings together the latest data and analysis on the coronavirus (COVID-19) pandemic in the UK and its effect on the economy and society.

[Coronavirus \(COVID-19\) roundup](#)

Blog | Updated as and when new data become available

Catch up on the latest data and analysis related to the coronavirus pandemic and its impact on our economy and society.

[Coronavirus and the latest indicators for the UK economy and society](#)

Bulletin | Released 17 September 2020

Early experimental data on the impact of the coronavirus on the UK economy and society. These faster indicators are created using rapid response surveys, novel data sources and experimental methods.

[Monthly mortality analysis. England and Wales](#)

Bulletin | Released 18 September 2020

Provisional death registration data for England and Wales, broken down by sex, age and country. Includes deaths due to COVID-19 and leading causes of death.

[Deaths involving COVID-19 by local area and socioeconomic deprivation](#)

Bulletin | Released 28 August 2020

Provisional counts of the number of deaths and age-standardised mortality rates involving COVID-19 between 1 March and 31 July 2020 in England and Wales. Figures are provided by age, sex, geographies down to local authority level, and deprivation indices.