

Statistical bulletin

# Deaths registered weekly in England and Wales, provisional: week ending 30 April 2021

Provisional counts of the number of deaths registered in England and Wales, including deaths involving the coronavirus (COVID-19), by age, sex and region, in the latest weeks for which data are available.

Contact:  
Health Statistics and Research  
health.data@ons.gov.uk  
+44 (0)1329 444110

Release date:  
11 May 2021

Next release:  
18 May 2021

## Table of contents

1. [Main points](#)
2. [Deaths registered by week](#)
3. [Deaths registered by age group](#)
4. [Deaths by region in England and Wales](#)
5. [Deaths registered by place of occurrence](#)
6. [Deaths registered in the UK](#)
7. [Comparison of weekly deaths occurrences in England and Wales](#)
8. [Deaths data](#)
9. [Glossary](#)
10. [Measuring the data](#)
11. [Strengths and limitations](#)
12. [Related links](#)

# 1 . Main points

- The number of deaths registered in England and Wales in the week ending 30 April 2021 (Week 17) was 9,692; this was 249 fewer deaths than the previous week (Week 16) and 7.3% below the five-year average (766 deaths fewer).
- The number of deaths registered in England in the week ending 30 April 2021 (Week 17) was 9,094; this was 218 fewer deaths than in the previous week (Week 16) and 6.9% below the five-year average (674 deaths fewer).
- The number of deaths registered in Wales in the week ending 30 April 2021 (Week 17) was 582; this was 34 fewer deaths than in the previous week (Week 16) and 12.1% below the five-year average (80 deaths fewer).
- Of the deaths registered in Week 17 in England and Wales, 205 mentioned "novel coronavirus (COVID-19)" accounting for 2.1% of all deaths; this was a decrease of 55 deaths compared with Week 16 (2.6% of all deaths).
- The number of deaths involving COVID-19 in England decreased to 198 in Week 17 compared with 244 in Week 16; for Wales the number decreased to 7 in Week 17 compared with 14 in Week 16.
- The number of deaths registered in the UK in the week ending 30 April 2021 was 11,018, which was 847 fewer than the five-year average; of deaths registered in the UK in Week 17, 232 involved COVID-19, that is, 58 lower than in Week 16.

## 2 . Deaths registered by week

### Figure 1: The number of deaths registered was below the five-year average for Week 17 in both England and Wales

Number of deaths registered by week, England and Wales, 28 December 2019 to 30 April 2021

#### Notes:

1. Figures exclude deaths of non-residents.
2. Based on date a death was registered rather than occurred.
3. All figures for 2020 and 2021 are provisional.
4. The number of deaths registered in a week are affected when bank holidays occur.
5. The average for 2015 to 2019 provides a comparison of the number of deaths expected per week in a usual (non-pandemic) year.

## Download the data

[.XLSX](#)

The provisional number of deaths registered in England and Wales decreased from 9,941 in Week 16 (week ending 23 April 2021) to 9,692 in Week 17 (week ending 30 April 2021). The number of deaths was 7.3% below the five-year average (766 deaths fewer).

In England, the number of deaths decreased from 9,312 in Week 16 to 9,094 in Week 17, which was 674 deaths (6.9%) fewer than the Week 17 five-year average (Figure 1). This is the eighth consecutive week that deaths have been lower than the five-year average in England. Of these, 198 involved the coronavirus (COVID-19) in Week 17, a 18.9% decrease compared with Week 16 (244 deaths). Of all deaths registered in Week 17, 2.2% mentioned COVID-19 on the death certificate.

In Wales, the number of deaths decreased from 616 in Week 16 to 582 in Week 17, which was 80 deaths (12.1%) fewer than the Week 17 five-year average (Figure 1). Of these, 7 involved COVID-19 in Week 17, a 50.0% decrease compared with Week 16 (14 deaths). Of all deaths registered in Week 17, 1.2% mentioned COVID-19 on the death certificate.

## Figure 2: The number of deaths involving COVID-19 decreased in Week 17

**Deaths involving and due to COVID-19 and Influenza and Pneumonia, England and Wales, deaths registered in 2020 and 2021**

### Notes:

1. Figures include deaths of non-residents.
2. Based on date a death was registered rather than occurred.
3. All figures for 2020 and 2021 are provisional.
4. The number of deaths registered in a week are affected when bank holidays occur.
5. The average for 2015 to 2019 provides a comparison of the number of deaths expected per week in a usual (non-pandemic) year.
6. The International Classification of Diseases, 10th Edition (ICD-10) definitions are as follows: coronavirus (COVID-19) (U07.1, U07.2, U09.9 and U10.9) and Influenza and Pneumonia (J09 to J18).
7. A death can be registered with both COVID-19 and Influenza and Pneumonia mentioned on the death certificate. Deaths where both were mentioned have been counted in both categories.
8. We use the term "due to COVID-19" or "due to Influenza and Pneumonia" when referring only to deaths where that illness was recorded as the underlying cause of death. We use the term "involving COVID-19" or "involving Influenza and Pneumonia" when referring to deaths that had that illness mentioned anywhere on the death certificate, whether as an underlying cause or not.

## Download the data

[.XLSX](#)

Of the 205 deaths in England and Wales that involved COVID-19, 140 had this recorded as the underlying cause of death (68.3%, Figure 2). Of the 1,224 deaths that involved Influenza and Pneumonia, 322 had this recorded as the underlying cause of death (26.3%).

Deaths that involved both COVID-19, and Influenza and Pneumonia, have been included in both categories for consistency when comparing with the underlying cause of death.

We have developed an experimental statistical model to estimate the number of deaths that actually occurred in a given week, rather than the number registered. For Week 17, we estimate that 9,101 deaths occurred in England and Wales, with a 95% [confidence interval](#) of 8,182 to 10,218. This is 693 fewer deaths than the mean for the period 2015 to 2019 in Week 17, and a decrease of 410 from the Week 16 2021 estimate of 9,511 (9,227 to 9,861).

These are provisional estimates that assume the pattern of occurrences can be predicted based on experience in previous years. The estimate for the most recent week always has a wider margin of error than for earlier weeks, so it should be treated with caution.

### Figure 3: Deaths from all causes were below the five-year average in Week 17

Number of deaths registered by week, England and Wales, 28 December 2019 to 30 April 2021

#### Notes:

1. Figures include deaths of non-residents.
2. Based on date a death was registered rather than occurred.
3. All figures for 2020 and 2021 are provisional.
4. The International Classification of Diseases, 10th Edition (ICD-10) definitions are available in the [measuring the data](#) section.
5. The number of deaths registered in a week are affected when bank holidays occur.
6. The average for 2015 to 2019 provides a comparison of the number of deaths expected per week in a usual (non-pandemic) year.

## Download the data

[.XLSX](#)

Analysis in this section includes deaths from Week 11 of 2020 (week ending 13 March 2020, the week of the first registration of a death involving COVID-19) through to Week 17 of 2021 (week ending 30 April 2021), to ensure full coverage of the ongoing coronavirus (COVID-19) pandemic.

Using the most up-to-date data we have available, the number of deaths from the week ending 13 March 2020 up to 30 April 2021 was 719,018 in England and Wales. Of the deaths registered by 30 April 2021, 139,429 (19.4%) mentioned COVID-19 on the death certificate. During this period, the number of excess deaths above the five-year average was 114,201 deaths.

In England, the number of deaths between the week ending 13 March 2020 and 30 April 2021 was 674,518 and of these, 131,378 deaths (19.5%) mentioned COVID-19. This was 109,544 deaths above the five-year average.

In Wales, the number of deaths was 43,626 and of these, 7,867 deaths (18.0%) mentioned COVID-19. This was 5,565 deaths above the five-year average.


### 3 . Deaths registered by age group

Figure 4: The majority of deaths involving COVID-19 were in those aged 75 years and over in Week 17

Number of deaths involving COVID-19 by age group, England and Wales, registered between 28 December 2019 and 30 April 2021

Figure 4: The majority of deaths involving COVID-19 were in those aged 75 years and over in Week 17

Number of deaths involving COVID-19 by age group, England and Wales, registered between 28 December 2019 and 30 April 2021



Source: Office for National Statistics - Deaths registered weekly in England and Wales

Notes:

1. Figures include deaths of non-residents.
2. Based on date a death was registered rather than occurred.
3. All figures for 2020 and 2021 are provisional.
4. The International Classification of Diseases, 10th Edition (ICD-10) definitions are available in the [Measuring the data](#) section.
5. The number of deaths registered in a week is affected when bank holidays occur.
6. Does not include deaths where age is either missing or not yet fully coded.

In Week 17 (week ending 30 April 2021), the number of deaths involving the coronavirus (COVID-19) in England and Wales decreased in the majority of the five-year age groups compared with Week 16. The biggest decrease was seen in those aged 80 to 84 years (15 fewer deaths). The majority (58.0%) of deaths involving COVID-19 were in people aged 75 years and over.

## 4 . Deaths by region in England and Wales

### Figure 5: The number of deaths in Week 17 was lower than the five-year average in Wales and all of the English regions

Number of deaths in Wales and regions in England, registered between 28 December 2019 and 30 April 2021

#### Notes:

1. Based on area of usual residence. Geographical boundaries are based on the most up-to-date information available at the time of publication.
2. Figures exclude deaths of non-residents.
3. Based on date a death was registered rather than occurred.
4. All figures for 2020 and 2021 are provisional.
5. The International Classification of Diseases, 10th Edition (ICD-10) definitions are available in the [measuring the data](#) section.
6. The number of deaths registered in a week are affected when bank holidays occur.
7. The average for 2015 to 2019 provides a comparison of the number of deaths expected per week in a usual (non-pandemic) year.

## Download the data

[.XLSX](#)

In Week 17 (week ending 30 April 2021), the total number of deaths registered was lower than the five-year average in every English region and Wales (Figure 5). The largest decrease compared with the five-year average was in Wales (12.1% lower). The North East was the English region with the largest decrease (11.2% lower).

Deaths involving the coronavirus (COVID-19) decreased in the majority of regions except for the North East, East Midlands and South West of England. The largest decrease was reported in Yorkshire and The Humber (29 fewer deaths). More detailed geographic analysis can be found in our [Monthly mortality analysis release](#).

Table 1: The number of deaths registered was below the five-year average in Wales and in all of the English regions

Number of deaths in Wales and regions in England, registered week ending 30 April 2021

Region name	Number of deaths	Five-year average	Difference	Percentage above average
<b>South West</b>	1,084	1,117	-33	-3.0%
<b>East</b>	1,062	1,125	-63	-5.6%
<b>South East</b>	1,519	1,626	-107	-6.6%
<b>Yorkshire and the Humber</b>	943	1,012	-69	-6.8%
<b>West Midlands</b>	982	1,056	-74	-7.0%
<b>East Midlands</b>	814	878	-64	-7.3%
<b>London</b>	908	984	-76	-7.7%
<b>North West</b>	1,281	1,405	-124	-8.8%
<b>North East</b>	501	564	-63	-11.2%
<b>Wales</b>	582	662	-80	-12.1%

Source: Office for National Statistics - Deaths registered weekly in England and Wales

## Notes

1. Based on area of usual residence. Geographical boundaries are based on the most up-to-date information available at the time of publication.
2. Figures exclude deaths of non-residents.
3. Based on date a death was registered rather than occurred.
4. All figures for 2020 and 2021 are provisional.
5. The averages are based on the number of death registrations in each region, recorded for each corresponding week over the previous five years.
6. The number of deaths registered in a week are affected when bank holidays occur.
7. The average for 2015 to 2019 provides a comparison of the number of deaths expected per week in a usual (non-pandemic) year.



## 5 . Deaths registered by place of occurrence

Table 2: Most deaths involving COVID-19 have occurred in hospitals  
Number of deaths involving COVID-19 by place of occurrence, England and Wales, registered between 28 December 2019 and 30 April 2021

Place of death	28 December 2019 to 30 April 2021	Week ending 30 April 2021
Private home	7,890	36
Hospital (not including psychiatric)	96,348	133
Hospice	2,073	1
Care home	32,104	30
Other communal establishment	499	0
Elsewhere	515	5

Source: Office for National Statistics – Deaths registered weekly in England and Wales

### Notes

1. Based on area of usual residence. Geographical boundaries and communal establishments are based on the most up-to-date information available.
2. Figures include deaths of non-residents.
3. Based on date a death was registered rather than occurred.
4. All figures for 2020 and 2021 are provisional.
5. The International Classification of Diseases, 10th Edition (ICD-10) definitions are available in the Measuring the data section.
6. "Other" includes deaths in communal establishments other than hospitals and care homes, in hospices. More information on the place of death definitions used is available in the accompanying dataset.

Between Weeks 16 and 17, the number of deaths involving the coronavirus (COVID-19) decreased in hospitals (33 fewer), care homes (16 fewer), hospices (5 fewer) and private homes (3 fewer) but increased elsewhere (2 more). No deaths involving COVID-19 were reported in other communal establishments for the third consecutive week.

Deaths involving COVID-19 in hospitals as a proportion of all deaths in hospitals fell to 3.3% in Week 17 (4.0% in Week 16). Deaths involving COVID-19 in care homes accounted for 1.7% of deaths, a decrease from Week 16 (2.6%).

Detailed analysis on deaths of care home residents is available in [Deaths involving COVID-19 in the care sector, England and Wales: deaths occurring up to 12 June 2020 and registered up to 20 June 2020](#).

From Week 1 2021 (week ending 8 January 2021) onwards, we have published a [dataset of weekly deaths of care home residents](#).

As well as the Office for National Statistics (ONS) data, the Care Quality Commission (CQC) provides numbers of deaths involving COVID-19 in care homes in England that are based on the date the death was notified to the CQC. From 10 April 2020 (the first day when data were collected using the CQC's new method of identifying deaths involving COVID-19) to 7 May 2021, there were 29,135 deaths of residents in care homes involving COVID-19. Of these deaths, 24 were notified in the week up to 7 May 2021. More information on the data provided by the CQC can be found in our [joint transparency statement](#).

In Wales, the Welsh Government publishes the [number of deaths of care home residents involving COVID-19](#) notified to the Care Inspectorate Wales (CIW). Between 1 March 2020 and 22 April 2021, there were 1,920 deaths of residents in care homes involving COVID-19.

### **Figure 6: Deaths in Week 17 were above the five-year average in private homes, but below the five-year average in hospitals, care homes and other settings**

**Number of excess deaths by place of occurrence, England and Wales, registered between 7 March 2020 and 30 April 2021**

#### **Notes:**

1. Based on area of usual residence. Geographical boundaries and communal establishments are based on the most up-to-date information available.
2. Figures include deaths of non-residents.
3. Based on date a death was registered rather than occurred.
4. All figures for 2020 and 2021 are provisional.
5. The International Classification of Diseases, 10th Edition (ICD-10) definitions are available in the [measuring the data](#) section.
6. "Other" includes deaths in communal establishments other than hospitals and care homes, in hospices, and that occurred "elsewhere". More information on the place of death definitions used is available in the [accompanying dataset](#).
7. The average for 2015 to 2019 provides a comparison of the number of deaths expected per week in a usual (non-pandemic) year.

## Download the data

[.XLSX](#)

In Week 17, the number of deaths in private homes was 27.0% above the five-year average (660 excess deaths). Deaths within care homes were 21.7% below the five-year average (489 deaths fewer), deaths in hospitals were 17.6% below the five-year average (870 deaths fewer) and deaths in other settings were 8.3% below the five-year average (68 deaths fewer).


In addition, more [detailed analysis of excess deaths in England](#) is produced by Public Health England (PHE) on a weekly basis.

## Figure 7: Over 70% of deaths involving COVID-19 occurring in Week 17 were in hospital

Number of deaths involving COVID-19 by place of occurrence, England and Wales, occurring up to 30 April 2021 and registered up to 8 May 2021

### Figure 7: Over 70% of deaths involving COVID-19 occurring in Week 17 were in hospital

Number of deaths involving COVID-19 by place of occurrence, England and Wales, occurring up to 30 April 2021 and registered up to 8 May 2021



Source: Office for National Statistics – Deaths registered weekly in England and Wales

#### Notes:

1. Figures include deaths of non-residents.
2. Based on date of death, registered up to 8 May 2021.
3. All figures for 2020 and 2021 are provisional.
4. The International Classification of Diseases, 10th Edition (ICD-10) definitions are available in the [Measuring the data](#) section.
5. This chart includes deaths from the week ending 6 March 2020 onwards. Three deaths involving COVID-19 occurred prior to this (in the week ending 31 January (Week 5), week ending 7 February (Week 6) and week ending 28 February (Week 9)) and are not included in the chart.

Figure 7 is based on date of death for deaths registered up to 8 May 2021, rather than date of registration. As more deaths are registered, deaths per day are likely to increase, especially for later dates. Looking at the number of deaths that occurred in Week 17, 70.2% of deaths occurred in hospitals, and care homes accounted for 19.2% of all deaths involving COVID-19; this may change as more deaths are registered.

The earliest known death involving COVID-19 occurred in the week ending 31 January 2020 (Week 5).


## 6 . Deaths registered in the UK

Figure 8: Deaths involving COVID-19 decreased in the UK in Week 17

Number of deaths registered by week, UK, week ending 13 March 2020 to week ending 30 April 2021

### Figure 8: Deaths involving COVID-19 decreased in the UK in Week 17

Number of deaths registered by week, UK, week ending 13 March 2020 to week ending 30 April 2021



Source: Office for National Statistics, National Records of Scotland, and Northern Ireland Statistics and Research Agency

Notes:

1. Figures include deaths of non-residents that were registered in each country.
2. Based on date a death was registered rather than occurred.
3. All figures for 2020 and 2021 are provisional.
4. The International Classification of Diseases, 10th Edition (ICD-10) definitions are available in the [Measuring the data](#) section.
5. National Records of Scotland produce figures for Scotland with an updated back series. We update the back series until the end of the calendar year, therefore the UK total in 2021 may differ from previous weeks in 2021, but the 2020 UK total will remain constant.
6. Northern Ireland Statistics and Research Agency produce figures for Northern Ireland.

Across the UK, there were 11,018 deaths (all causes) registered in Week 17 (week ending 30 April 2021), which was 847 deaths fewer than the UK five-year average, and 340 deaths fewer than in Week 16 (week ending 23 April 2021).

Using the most up-to-date data we have available, from the week ending 13 March 2020 up to 30 April 2021, the number of deaths was 813,901. The number of deaths involving COVID-19 was 151,765, and the number of excess deaths above the five-year average was 117,809.

Deaths in England and Wales, Northern Ireland and Scotland were all below the five-year average in Week 17.

Of these deaths, 232 involved the coronavirus (COVID-19), 58 fewer deaths than in Week 16 (20.0% decrease) (Figure 8).

In Week 17, England had the highest number of deaths involving COVID-19 with 198 deaths, followed by Scotland with 19 deaths, Northern Ireland with 8 deaths, and Wales with 7 deaths.

## 7 . Comparison of weekly deaths occurrences in England and Wales

This section will look at the number of deaths involving COVID-19 by date of death produced by the Office for National Statistics (ONS) compared with death notifications reported on the [GOV.UK Coronavirus in the UK dashboard](#). For Wales, we can also compare the data by date of death released by Public Health Wales (PHW).

Table 3: Number of deaths involving COVID-19 from different sources in England and Wales that occurred between 2 March 2020 and 30 April 2021

	<b>Office for National Statistics - death occurrences</b>	<b>GOV.UK deaths occurring within 28 days of testing by Date of Notification</b>	<b>GOV.UK deaths occurring within 28 days of testing by Date of Death</b>
<b>England</b>	131,600	112,169	112,197
<b>Wales</b>	7,869	5,550	5,551

Source: Office for National Statistics – Deaths registered weekly in England and Wales and GOV.UK Coronavirus in the UK

### Notes:

1. Details for the data included in GOV.UK figures can be found on the [GOV.UK website](#). The notes below refer only to Office for National Statistics data.
2. Figures include deaths of non-residents.
3. Based on date of death, registered up to 8 May 2021.
4. All figures for 2020 and 2021 are provisional.
5. The International Classification of Diseases, 10th Edition (ICD-10) definitions are available in the Measuring the data section.

## 8 . Deaths data

### [Deaths registered weekly in England and Wales, provisional](#)

Dataset | Released 11 May 2021

Provisional counts of the number of deaths registered in England and Wales, by age, sex and region, in the latest weeks for which data are available. Includes data on coronavirus (COVID-19) deaths.

### [Death registrations and occurrences by local authority and health board](#)

Dataset | Released 11 May 2021

Provisional counts of the number of deaths registered in England and Wales, including deaths involving COVID-19, by local authority, health board and place of death in the latest weeks for which data are available.

### [Number of deaths in care homes notified to the Care Quality Commission, England](#)

Dataset | Released 11 May 2021

Provisional counts of deaths in care homes caused by COVID-19 by local authority. Published by the Office for National Statistics (ONS) and Care Quality Commission (CQC).

### [Care home resident deaths registered in England and Wales, provisional](#)

Dataset | Released 11 May 2021

Provisional counts of the number of deaths registered of care home residents in England and Wales, by region. Includes data on coronavirus (COVID-19) deaths. Data are weekly and provisional.

Try the new way to filter and download these data:

- [Deaths registered weekly in England and Wales by age and sex: COVID-19](#)
- [Deaths registered weekly in England and Wales by region: COVID-19](#)
- [Death registrations and occurrences by local authority and place of death](#)
- [Death registrations and occurrences by health board and place of death](#)

## 9 . Glossary

### Coronavirus (COVID-19) deaths

Coronavirus (COVID-19) deaths are those deaths registered in England and Wales in the stated week where COVID-19 was mentioned on the death certificate. A doctor can certify the involvement of COVID-19 based on symptoms and clinical findings – a positive test result is not required. Definitions of COVID-19 for deaths in Scotland and Northern Ireland are similar to England and Wales.



## 10 . Measuring the data

More quality and methodology information on strengths, limitations, appropriate uses, and how the data were created is available in the [Mortality statistics in England and Wales QMI](#).

To meet user needs, we publish very timely but provisional counts of death registrations in England and Wales in our [Deaths registered weekly in England and Wales, provisional dataset](#). These are presented by sex, age group and regions (within England) as well as for Wales as a whole. To allow time for registration and processing, these figures are published 11 days after the week ends. Because of the rapidly changing situation, in this bulletin we have also given provisional updated totals for death occurrences based on the latest available death registrations, up to 8 May 2021.

Because of the coronavirus (COVID-19) pandemic, our regular weekly deaths release now provides a separate breakdown of the number of deaths involving COVID-19: that is, where COVID-19 or suspected COVID-19 was mentioned anywhere on the death certificate, including in combination with other health conditions. If a death certificate mentions COVID-19, it will not always be the main cause of death but may be a contributory factor. This bulletin summarises the latest weekly information and will be updated each week during the pandemic.

The data for 2020 are based on a 53-week year. Because the number of days in a week is seven, when there are 52 weeks, we only cover 364 days of the 365 days in the year, which results in one remaining day each calendar year not included in the 52 weeks. With the occurrence of leap years, it is sometimes necessary to add a 53rd week to the end of the calendar, which was the case in 2020. This happens every five years, with the last time there was a Week 53 being in 2015. Given the low frequency of Week 53, it is more appropriate to compare the 2020 figures with the average for Week 52, than to compare it with a single year from five years previous.

From the bulletin dated 3 November 2020, we have added two additional analyses.

Previously, we gave a breakdown of deaths involving COVID-19 into those where COVID-19 was the underlying cause of death ("due to COVID-19") and those where it was a contributory factor ("involving COVID-19") in the [Monthly mortality analysis](#); because of high public interest, this distinction is now shown in Figure 2 of the weekly bulletin.

Influenza and Pneumonia has been included for comparison (Figure 2), as a well-understood cause of death involving respiratory infection that is likely to have somewhat similar risk factors to COVID-19.

This bulletin is based mainly on the date deaths are registered, not the date of death, because of the [time taken for a death to be registered](#). Deaths in England and Wales are normally registered within five days, but there can be a considerably longer delay in some circumstances, particularly when the death is referred to a coroner.

We have developed a statistical model to estimate the number of deaths likely to have occurred in each week, based on previous experience of the pattern of registration delays, including the effects of bank holidays. The method is described in the article [Predicting total weekly death occurrences in England and Wales: methodology](#) and the results are shown in the tab, "Estimated total deaths 2020", of the [accompanying dataset](#).

These figures are different from the [daily surveillance figures on COVID-19 deaths](#) published by the Department of Health and Social Care (DHSC) on the GOV.UK website, for the UK as a whole and its constituent countries. Figures in this report are derived from the formal process of death registration and may include cases where the doctor completing the death certificate diagnosed possible cases of COVID-19, for example, where this was based on relevant symptoms but no test for the virus was conducted.

From 29 April 2020, the DHSC started to publish as their [daily announced figures on deaths from COVID-19](#) for the UK a new series that uses improved data for England produced by Public Health England (PHE). These figures provide a count of all deaths where a positive test for COVID-19 has been confirmed, wherever that death has taken place - a change from previously reporting only confirmed COVID-19 deaths in hospitals.

Figures for Scotland, Wales and Northern Ireland had already begun to include deaths outside hospitals, so this change ensured that the UK-wide series had a shared and common definitional coverage. A [statement](#) was published by the Office for National Statistics (ONS), which provides more detail of the changes.

On 12 August 2020, the PHE data series was revised to include two measures: deaths of positively tested individuals where the death occurred within 28 days and deaths within 60 days of a positive test. More information on these changes can be found in their [technical summary \(PDF, 854KB\)](#).

In contrast to the GOV.UK figures, we include only deaths registered in England and Wales, which is the legal remit of the ONS. Tables 4 and 5 provide an overview of the differences in definitions between sources.

From the week ending 26 February 2021 (Week 8), new International Classification of Diseases (ICD-10) codes for COVID-19 issued by the World Health Organization (WHO) have been implemented for deaths involving COVID-19. The new codes are U09.9 (Post-COVID condition, where the acute COVID had ended before the condition immediately causing death occurred) and U10.9 (Multisystem inflammatory syndrome associated with COVID-19 (also called Kawasaki-like syndrome), a specific, uncommon effect of COVID-19 in children). These are in addition to the existing codes of U07.1 (COVID-19, virus identified) and U07.2 (COVID-19, virus not identified, that is, COVID-19 stated to be unconfirmed or suspected).

Table 4: Definitions of COVID-19 deaths between different sources

	<b>DHSC COVID-19 (as published on GOV.UK) before 29 April</b>	<b>DHSC COVID-19 (as published on GOV.UK) between 29 April and 12 August</b>	<b>DHSC COVID-19 (as published on GOV.UK) from 12 August</b>	<b>ONS COVID-19 deaths registered</b>	<b>ONS COVID-19 death occurrence (actual date of death)</b>	<b>NHS England</b>	<b>Public Health Wales</b>
<b>Coverage</b>	UK (however we only include England and Wales breakdowns for comparable coverage with ONS data)	UK (however we only include England and Wales breakdowns for comparable coverage with ONS data)	UK (however we only include England and Wales breakdowns for comparable coverage with ONS data)	Registrations in England and Wales	Registrations in England and Wales	England only	Wales only
				Selected UK figures are included in the weekly release	In discussions with devolved nations to create UK estimates in the near future		
<b>Inclusion</b>	Deaths in hospitals	Includes any place of death, including care homes and community	Includes any place of death, including care homes and community	Any place of death, including care homes and community	Any place of death, including care homes and community	Deaths in hospitals	Includes any place of death, including care homes and community
	Deaths where the patient has tested positive for COVID-19	Deaths where the patient has tested positive for COVID-19	Deaths where the patient has tested positive for COVID-19 within 28 and 60 days of testing	Deaths where COVID-19 has been mentioned on the death certificate	Deaths where COVID-19 has been mentioned on the death certificate	Deaths where patient has been tested for COVID-19	Deaths where patient has been tested for COVID-19
<b>Timeliness</b>	Provided daily but not officially registered	Provided daily but not officially registered	Provided daily but not officially registered	Weekly registrations are 11 days behind because of the time taken to register, process and publish	Weekly registrations are 11 days behind because of the time taken to register, process and publish	Updated daily for each date of death	Updated daily for each date of death
				Registered in the week ending 30 April 2021 (week 17)	Deaths which occurred in week 17 but were registered up to 8 May 2021		

Source: Office for National Statistics – Deaths registered weekly in England and Wales

Table 5: Definitions of COVID-19 deaths in care homes between different sources

	<b>ONS COVID-19 deaths registered</b>	<b>ONS COVID-19 death occurrence (actual date of death)</b>	<b>Care Quality Commission deaths in care homes (date of notification received)</b>	<b>Care Inspectorate Wales deaths in care homes (date of notification received)</b>
<b>Coverage</b>	Registrations in England and Wales	Registrations in England and Wales	Death notifications sent by registered care home operators in England to CQC	Death notifications sent by registered care home operators in Wales to CIW
	Selected UK figures are included in the weekly release	In discussions with devolved nations to create UK estimates in the near future		
<b>Inclusion</b>	Any place of death, including care homes	Any place of death, including care homes	Deaths in care homes - deaths of care home residents that occurred elsewhere are also collected	Deaths in care homes - deaths of care home residents that occurred elsewhere are also collected
	Deaths where COVID-19 has been mentioned on the death certificate	Deaths where COVID-19 has been mentioned on the death certificate	Deaths where the care home provider has stated COVID-19 as a suspected or confirmed cause of death on the death notification	Deaths where the care home provider has stated COVID-19 as a suspected or confirmed cause of death on the death notification
<b>Timeliness</b>	Weekly registrations are 11 days behind because of the time taken to register, process and publish	Weekly registrations are 11 days behind because of the time taken to register, process and publish	Daily deaths notifications by date of notification - these take on average 4 days to receive and process	Daily deaths notifications by date of notification
			Data are published weekly by ONS	Data are published weekly by Welsh Government

Source: Office for National Statistics – Deaths registered weekly in England and Wales

We will publish accompanying articles periodically, giving enhanced information such as age-standardised and age-specific mortality rates for recent time periods and breakdowns of deaths involving COVID-19 by associated pre-existing health conditions.

There is usually a delay of at least five days between occurrence and registration. More information on this issue can be found in our [impact of registration delays release](#).

Our [User guide to mortality statistics](#) provides further information on data quality, legislation and procedures relating to mortality and includes a [glossary of terms](#).

## 11 . Strengths and limitations

Figures are based on the date the death was registered, not when it occurred. There is usually a delay of at least five days between occurrence and registration. More information on this issue can be found in our [impact of registration delays release](#).

## 12 . Related links

### [Deaths registered in England and Wales: 2019](#)

Bulletin | Released 1 July 2020

Registered deaths by age, sex, selected underlying causes of death and the leading causes of death. Contains death rates and death registrations by area of residence and single year of age.

### [Monthly mortality analysis. England and Wales: March 2021](#)

Bulletin | Released 22 April 2021

Provisional death registration data for England and Wales, broken down by sex, age and country. Includes analysis of deaths due to COVID-19 compared with the leading causes of death. Datasets include deaths due to COVID-19 by local area and socioeconomic deprivation.

### [Coronavirus \(COVID-19\) latest insights](#)

Interactive tool | Updated as and when data become available

Explore the latest data and trends about the coronavirus (COVID-19) pandemic from the ONS and other official sources.

### [Coronavirus \(COVID-19\) roundup](#)

Blog | Updated as and when new data become available

Catch up on the latest data and analysis related to the coronavirus pandemic and its impact on our economy and society.

### [Coronavirus and the latest indicators for the UK economy and society](#)

Bulletin | Released 29 April 2021

Early experimental data on the impact of the coronavirus on the UK economy and society. These faster indicators are created using rapid response surveys, novel data sources and experimental methods.